NAMES.

A. كسلبا

G. Απαρινη.

L. Aparine.

I. Speronella.

G. Klebe Kraut.

F. Gateron.

S. Presara.

D. Kleef-kruyt

CLIVERS OR GOOSE - GRASS.

PARTS USED.

The whole Herb, or Plant.

PREPARATIONS.

None.

PLACE.

In Hedges.

TIME.

This Plant springs early, and continues all the Summer.

DESCRIPTION.

This Plant which is of a light yellowish Green, grows fresh from the Seed every Spring; with Square Stalks 1, and Leaves (set with white Hairs) at every Joint, (with Hooks at every Edge) from which grow smaller Stalks with fewer Leaves, and small White Flowers 2; taken sideways 4. Seed-Vessels 3; with the Chives Summits and Seed-Vessel 5. At 6 a Leaf with the Hooks 12. A Flower 7 on the Seed-Vessel; 8 is a Flower in Front; 9 a Seed-Vessel cut lengthways; at 10 cut crosways. The Stalk 11 cut Transversly; 13 the Style: 6. 7. 8. 9. 10. 12. 13 are magnified.

VIRTUES.

This Plant is esteemd a cooler, a Sweetner of the Blood, and moderately dryeng.

T. Sheldrake delin.

C.H. Hemerich sculp.

M S H